

# W & M KIELY LTD.

## PRE-CAST CONCRETE PRODUCTS



*Manufacturer of: Septic Tanks, Wastewater Treatment  
Systems, Cattle, Pig, Sheep & Calf Slatted Flooring.*


Courtbrack, Blarney, Co. Cork.

Tel: 021- 4385872      Fax: 021- 4381644


Email: [info@wmkiely.ie](mailto:info@wmkiely.ie)

# 1000 Gallon Septic Tank

- Double Chamber tank
- SR6 1991 Standard
- Suitable for a 5 to 6 bedroom house




Sectional End View  
4'3" (1.30m)




**Excavation to be 10' (3.05m) x 6' (1.83m) x 5' 6" (1.68m)  
below top of inlet pipe**

Sectional View




# 850 Gallon Septic Tank

- Double Chamber tank
- SR6 1991 Standard
- Suitable for a 4 bedroom house




**Excavation to be 10' (3.05m) x 6' (1.83m) x 5' (1.52m) below top of inlet pipe**




**Dimension not shown: Tank width = (3'9" 1.14m)**

# Concrete Grease Trap Tank

- 250 Gallon (1.13m<sup>3</sup>) Capacity
- Can also be used for liquid storage, pumping chamber, etc.



Section Elevation



**Dimension not shown: Tank width = 3'2" (0.97m)**

# 1800 gallon (8100 l) tank

- \* Pre-cast reinforced concrete
- \* Grant Approved

- \* Galvanise or concrete covers available
- \* Suitable for water or effluent storage

Tank Measurements: Tank Height: 1.88m (6'2")      Cover Height: 160mm (6")  
Diameter: 2.5m (8'3")      Total Height: 2.03m (6'8")

Cover Options: Cover with one square centre manhole using galvanised steel safety cover

(Note: for grant purposes this cover must be used)  
Galvanised cover dimensions: 870mm x 1200mm

Cover with two smaller round concrete covers  
Round concrete cover diameter: 450mm

The tank can be divided into two or more chambers if required. There are provisions made for 110mm inlet and outlet holes but the tank may be filled through the cover if preferred.

